



Skriv det du leter etter

[Rival Norway](#) > [JLG lifts at Riwal Norge](#) >

[Share this page](#)

[JLG articulated boom lifter](#) > [JLG HC3 articulated arm lifter](#) >

JLG 520AJ HC3

JLG 520AJ HC3

The JLG 520AJ HC3 is only 2.35 meters wide and has a working height of 16 metres. The platform has a capacity of 454 kg and size of 0.76 x 1.83 meters, which can be vertically 145 degrees thanks to the Jib. Get more work done in less time with new JLG® Hi-Capacity HC3™ boom lifts. These machines have an extended working area with three capacity zones, and can carry up to three people and tools to the height of each zone. Equipped with a Deutz, the JLG 520AJ HC3 has variable engine speed control, which





Norwegian



English ▼



Key features:

- Platform Capacity of 453/340/299 kg
- More flexibility in height: With three work zones and improved capacity, up to three workers and tools can fit into the platform
- Increased efficiency: An automatic load sensor system with zero calibration eliminates the need to use external weights to calibrate the machine
- Improved operator experience: An upgraded light panel is more visible in the sun, while a tilt alarm alerts the operator when the machine is on an incline that exceeds 5 degrees

Standard equipment:

- 180 degree hydraulic platform rotator
- Machine status for platform console Light panel
- Socket in the platform
- 5 degree tilt alarm/indicator light
- 12V-DC auxiliary power
- Time counts
- Check the ADE® system
- Lifting/fastening hooks
- Horn
- 4x4 Four-wheel drive



Norwegian



English



- Motion alarm
- Load sensor system
- JLG SkyGuard
- JLG SkyLine

Optional accessories:

- 0.76 x 1.25 m Platform
- (0.91 x 1.83 m) Platform
- Fall Protection Platform (0.76 x 1.53 m)
- 1/2 in. Airline to platform
- SkySense™
- Soft Touch System
- AC Generator
- Flashing yellow beacon
- Cold weather seen
- Hostile environment set
- Arctic Package
- Light package
- Operator Tool tray
- SkyPower® package
- SkyWelder® package




Norwegian



English



Lifting diagram





Norwegian



English ▾

0 M
(0 FT)3.0 M
(10 FT)6.1 M
(20 FT)9.1 M
(30 FT)

OTHERS ALSO WATCHED..

**HC3**

JLG 600AJ HC3

Working height max: 22 m

Horizontal range: 17.4 m

Lifting capacity: 453/340/300 kg

Transport dimensions WxHxL: 2.49x2.5x10.79

Net weight: 13281 kg

**HC3**

JLG 600S HC3

Working height max: 20.19 m

Horizontal range: 15.29 m

Lifting capacity: 453/340/300 kg

Transport dimensions WxHxL: 2.49x2.5x8.71

Net weight: 10387 kg

JLG EC520AJ

Working height max: 18 m

Horizontal range: 10.65 m



Norwegian



English



Lifting capacity: 250 kg

Transport dimensions WxHxL: 2.35x2.27x7.77

Net weight: 7985 kg

Quick links

[Job](#)

[Contact](#)

[About Riwal](#)

[Spare parts](#)

[Sale](#)

[Service](#)

[Rental](#)

Riwal Norge AS



Norwegian



English



lift_no@riwal.com

Subscribe to newsletters

Sign up for our news letter

Rival International

The company's website

[Disclaimer link](#) | [Privacy Link](#) © 2016, Rival

Above all. Rival