

DECLARATION OF CONFORMITY

S. Defendente, 20/04/2017

MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo TF 38.10-120 Rough Terrain Telehandler fitted with M-CDC System
Serial number: ZF1P50TA7C6001429
SAV number: C616391

has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 405/70-24 14PR MITAS MPT-01 at the pressure of 400 kPa (58 psi)
Optional tyres: 405/70-24 14PR BKT MP600 at the pressure of 400 kPa (58 psi)
445/65 R22.5 169F MITAS AR-01 at the pressure of 600 kPa (87 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0304	097191	A
FEM Carriage + forks	A0200 + A0500	097253	A
	A0201 + A0500		
Side-shift on carriage	A0281 + A0500	097254	A
	A0282 + A0500		
Floating forks	A0291	097253	A
	A0292		
Fork rotator	A3210	097254	A
	A3212		
Fork extensions	A0600 on A0304	097255	A
Digging bucket	A0701	097256	A
Re-handling bucket	A0710		
Loose material bucket	A0720		
	A0780		
4 in 1 Bucket	A0800		
	A0870		
Multipurpose bucket	A0840		
Drum clamp	A2210	097260	A
Straw bales forks	A2340	097261	A
Round bales handler	A2405	097262	A
Crane Hook on carriage	A1000	097257	A
Crane boom	A1110B_AU	097258	A
	A1118B		
Fly Jib 600 kg	A1200B	097259	A

MERLO S.P.A. - CUNEO, ITALY			
Plate of authorized attachments on TF38.7 - TF38.7TT - TF38.10 - TF38.10TT			
FIXED LOADS			
Standard forks	A0304	Digging bucket	A0701
FEM carriage + forks	A0200 + A0500	Re-handling bucket	A0710
FEM carriage + forks	A0201 + A0500	Loose material bucket	A0720
Side-shift on carriage	A0281 + A0500	Loose material bucket	A0780
Side-shift on carriage	A0282 + A0500	4 in 1 bucket	A0800
Floating forks	A0291	Multipurpose bucket	A0840
Floating forks	A0292	4 in 1 bucket	A0870
Fork rotator	A3210	Drum clamp	A2210
Fork rotator	A3212	Straw bales forks	A2340
Fork extensions	A0600 on A0304	Round bales handler	A2405
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1118B
Crane boom	A1110B_AU	Fly Jib 600 kg	A1200B
		Fly Jib 1500 kg (not for TF38.10)	A1210B
AS1418.19 COMPLIANT			



MERLO SPA Industria Metalmeccanica
12020 S. Defendente di Cervasca - Cuneo - Italy

Felice Contessini
TECHNICAL DIRECTOR

F. Contessini

DECLARATION OF CONFORMITY

S. Defendente, **21/04/2017**

MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo TF 38.10-120 Rough Terrain Telehandler fitted with M-CDC System

Serial number: ZF1P50TA7C6001430

SAV number: C616392

has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 405/70-24 14PR MITAS MPT-01 at the pressure of 400 kPa (58 psi)

Optional tyres: 405/70-24 14PR BKT MP600 at the pressure of 400 kPa (58 psi)
445/65 R22.5 169F MITAS AR-01 at the pressure of 600 kPa (87 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0304	097191	A
FEM Carriage + forks	A0200 + A0500	097253	A
	A0201 + A0500		
Side-shift on carriage	A0281 + A0500	097254	A
	A0282 + A0500		
Floating forks	A0291	097253	A
	A0292		
Fork rotator	A3210	097254	A
	A3212		
Fork extensions	A0600 on A0304	097255	A
Digging bucket	A0701	097256	A
Re-handling bucket	A0710		
Loose material bucket	A0720		
	A0780		
4 in 1 Bucket	A0800		
	A0870		
Multipurpose bucket	A0840		
Drum clamp	A2210	097260	A
Straw bales forks	A2340	097261	A
Round bales handler	A2405	097262	A
Crane Hook on carriage	A1000	097257	A
Crane boom	A1110B_AU	097258	A
	A1118B		
Fly Jib 600 kg	A1200B	097259	A

MERLO S.P.A. - CUNEO, ITALY			
Plate of authorized attachments on TF38.7 - TF38.7TT - TF38.10 - TF38.10TT			
FIXED LOADS			
Standard forks	A0304	Digging bucket	A0701
FEM carriage + forks	A0200 + A0500	Re-handling bucket	A0710
FEM carriage + forks	A0201 + A0500	Loose material bucket	A0720
Side-shift on carriage	A0281 + A0500	Loose material bucket	A0780
Side-shift on carriage	A0282 + A0500	4 in 1 bucket	A0800
Floating forks	A0291	Multipurpose bucket	A0840
Floating forks	A0292	4 in 1 bucket	A0870
Fork rotator	A3210	Drum clamp	A2210
Fork rotator	A3212	Straw bales forks	A2340
Fork extensions	A0600 on A0304	Round bales handler	A2405
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1118B
Crane boom	A1110B_AU	Fly Jib 600 kg	A1200B
		Fly Jib 1500 kg (not for TF38.10)	A1210B
AS1418.19 COMPLIANT			

DECLARATION OF CONFORMITY

S. Defendente, 12/10/2017

MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo P27.6 Rough Terrain Telehandler fitted with M-CDC System**Serial number:** ZF1P25000C7003397**SAV number:** C739212has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 12.0/75-18" 12PR MITAS TR3 at the pressure of 400 kPa (58 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0300	107940	—
FEM Carriage + forks	A0200 + A0500	108044	—
	A0201 + A0500		
Side-shift on carriage + forks	A0281 + A0500	108051	—
	A0282 + A0500		
Floating Forks	A0291	108044	—
	A0292		
Digging Bucket	A0699	108046	A
	A0700		
Re-handling Bucket	A0713		
4 in 1 Bucket	A0810		
Multipurpose Bucket	A0836		
Drum clamp	A2210	108050	—
Fork rotator	A3210	108051	—
	A3212		
Crane Hook on carriage	A1000	108047	—
Crane boom	A1114B_AU	108048	—
	A1124B		
Fly Jib	A1230B	108049	—

 MERLO S.P.A. - CUNEO, ITALY  Plate of authorized attachments on P27.6			
FIXED LOADS			
Standard forks	A0300	Digging bucket	A0699
FEM carriage + forks	A0200 + A0500	Digging bucket	A0700
FEM carriage + forks	A0201 + A0500	Re-handling bucket	A0713
Side-shift on carriage	A0281 + A0500	4 in 1 bucket	A0810
Side-shift on carriage	A0282 + A0500	Multipurpose bucket	A0836
Floating forks	A0291	Drum clamp	A2210
Floating forks	A0292	Fork rotator	A3210
		Fork rotator	A3212
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1124B
Crane boom	A1114B_AU	Fly Jib 400 kg	A1230B
AS1418.19 COMPLIANT			

DECLARATION OF CONFORMITY

S. Defendente, **16/10/2017**MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: *Merlo P27.6 Rough Terrain Telehandler fitted with M-CDC System***Serial number:** **ZF1P25000C7003401****SAV number:** **C739313**has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: *12.0/75-18" 12PR MITAS TR3 at the pressure of 400 kPa (58 psi)*

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0300	107940	—
FEM Carriage + forks	A0200 + A0500	108044	—
	A0201 + A0500		
Side-shift on carriage + forks	A0281 + A0500	108051	—
	A0282 + A0500		
Floating Forks	A0291	108044	—
	A0292		
Digging Bucket	A0699	108046	A
	A0700		
Re-handling Bucket	A0713		
4 in 1 Bucket	A0810		
Multipurpose Bucket	A0836		
Drum clamp	A2210	108050	—
Fork rotator	A3210	108051	—
	A3212		
Crane Hook on carriage	A1000	108047	—
Crane boom	A1114B_AU	108048	—
	A1124B		
Fly Jib	A1230B	108049	—

 MERLO S.P.A. - CUNEO, ITALY  Plate of authorized attachments on P27.6			
FIXED LOADS			
Standard forks	A0300	Digging bucket	A0699
FEM carriage + forks	A0200 + A0500	Digging bucket	A0700
FEM carriage + forks	A0201 + A0500	Re-handling bucket	A0713
Side-shift on carriage	A0281 + A0500	4 in 1 bucket	A0810
Side-shift on carriage	A0282 + A0500	Multipurpose bucket	A0836
Floating forks	A0291	Drum clamp	A2210
Floating forks	A0292	Fork rotator	A3210
		Fork rotator	A3212
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1124B
Crane boom	A1114B_AU	Fly Jib 400 kg	A1230B
108052 AS1418.19 COMPLIANT			

MERLO SPA Industria Metalmeccanica
12020 S. Defendente di Cervasca - Cuneo - ItalyFelice Contessini
TECHNICAL DIRECTOR*F. Contessini*

DECLARATION OF CONFORMITY

S. Defendente, 12/10/2017

MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo P27.6 Rough Terrain Telehandler fitted with M-CDC System

Serial number: ZF1P25000C7003395

SAV number: C739113

has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 12.0/75-18" 12PR MITAS TR3 at the pressure of 400 kPa (58 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0300	107940	—
FEM Carriage + forks	A0200 + A0500	108044	—
	A0201 + A0500		
Side-shift on carriage + forks	A0281 + A0500	108051	—
	A0282 + A0500		
Floating Forks	A0291	108044	—
	A0292		
Digging Bucket	A0699	108046	A
	A0700		
Re-handling Bucket	A0713		
4 in 1 Bucket	A0810		
Multipurpose Bucket	A0836		
Drum clamp	A2210	108050	—
Fork rotator	A3210	108051	—
	A3212		
Crane Hook on carriage	A1000	108047	—
Crane boom	A1114B_AU	108048	—
	A1124B		
Fly Jib	A1230B	108049	—

MERLO S.P.A. - CUNEO, ITALY			
Plate of authorized attachments on P27.6			
FIXED LOADS			
Standard forks	A0300	Digging bucket	A0699
FEM carriage + forks	A0200 + A0500	Digging bucket	A0700
FEM carriage + forks	A0201 + A0500	Re-handling bucket	A0713
Side-shift on carriage	A0281 + A0500	4 in 1 bucket	A0810
Side-shift on carriage	A0282 + A0500	Multipurpose bucket	A0836
Floating forks	A0291	Drum clamp	A2210
Floating forks	A0292	Fork rotator	A3210
		Fork rotator	A3212
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1124B
Crane boom	A1114B_AU	Fly Jib 400 kg	A1230B
AS1418.19 COMPLIANT			



MERLO SPA Industria Metalmeccanica
12020 S. Defendente di Cervasca - Cuneo - Italy

Felice Contessini
TECHNICAL DIRECTOR

F. Contessini

DECLARATION OF CONFORMITY

S. Defendente, 12/10/2017

MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo P27.6 Rough Terrain Telehandler fitted with M-CDC System**Serial number:** ZF1P25000C7003396**SAV number:** C739211has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 12.0/75-18" 12PR MITAS TR3 at the pressure of 400 kPa (58 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0300	107940	—
FEM Carriage + forks	A0200 + A0500	108044	—
	A0201 + A0500		
Side-shift on carriage + forks	A0281 + A0500	108051	—
	A0282 + A0500		
Floating Forks	A0291	108044	—
	A0292		
Digging Bucket	A0699	108046	A
	A0700		
Re-handling Bucket	A0713		
4 in 1 Bucket	A0810		
Multipurpose Bucket	A0836		
Drum clamp	A2210	108050	—
Fork rotator	A3210	108051	—
	A3212		
Crane Hook on carriage	A1000	108047	—
Crane boom	A1114B_AU	108048	—
	A1124B		
Fly Jib	A1230B	108049	—

MERLO S.P.A. - CUNEO, ITALY			
Plate of authorized attachments on P27.6			
FIXED LOADS			
Standard forks	A0300	Digging bucket	A0699
FEM carriage + forks	A0200 + A0500	Digging bucket	A0700
FEM carriage + forks	A0201 + A0500	Re-handling bucket	A0713
Side-shift on carriage	A0281 + A0500	4 in 1 bucket	A0810
Side-shift on carriage	A0282 + A0500	Multipurpose bucket	A0836
Floating forks	A0291	Drum clamp	A2210
Floating forks	A0292	Fork rotator	A3210
		Fork rotator	A3212
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1124B
Crane boom	A1114B_AU	Fly Jib 400 kg	A1230B
AS1418.19 COMPLIANT			
108062			

MERLO SPA Industria Metalmeccanica
12020 S. Defendente di Cervasca - Cuneo - ItalyFelice Contessini
TECHNICAL DIRECTOR*F. Contessini*

DECLARATION OF CONFORMITY

S. Defendente, **09/10/2017**MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo P27.6 Rough Terrain Telehandler fitted with M-CDC System**Serial number:** **ZF1P25000C7003388****SAV number:** **C738412**has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 12.0/75-18" 12PR MITAS TR3 at the pressure of 400 kPa (58 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0300	107940	—
FEM Carriage + forks	A0200 + A0500	108044	—
	A0201 + A0500		
Side-shift on carriage + forks	A0281 + A0500	108051	—
	A0282 + A0500		
Floating Forks	A0291	108044	—
	A0292		
Digging Bucket	A0699	108046	A
	A0700		
Re-handling Bucket	A0713		
4 in 1 Bucket	A0810		
Multipurpose Bucket	A0836		
Drum clamp	A2210	108050	—
Fork rotator	A3210	108051	—
	A3212		
Crane Hook on carriage	A1000	108047	—
Crane boom	A1114B_AU	108048	—
	A1124B		
Fly Jib	A1230B	108049	—

MERLO S.P.A. - CUNEO, ITALY			
Plate of authorized attachments on P27.6			
FIXED LOADS			
Standard forks	A0300	Digging bucket	A0699
FEM carriage + forks	A0200 + A0500	Digging bucket	A0700
FEM carriage + forks	A0201 + A0500	Re-handling bucket	A0713
Side-shift on carriage	A0281 + A0500	4 in 1 bucket	A0810
Side-shift on carriage	A0282 + A0500	Multipurpose bucket	A0836
Floating forks	A0291	Drum clamp	A2210
Floating forks	A0292	Fork rotator	A3210
		Fork rotator	A3212
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1124B
Crane boom	A1114B_AU	Fly Jib 400 kg	A1230B
AS1418.19 COMPLIANT			
108062			

MERLO SPA Industria Metalmeccanica
12020 S. Defendente di Cervasca - Cuneo - ItalyFelice Contessini
TECHNICAL DIRECTOR*F. Contessini*

DECLARATION OF CONFORMITY

S. Defendente, 09/10/2017

MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo P27.6 Rough Terrain Telehandler fitted with M-CDC System**Serial number:** ZF1P25000C7003390**SAV number:** C738511has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 12.0/75-18" 12PR MITAS TR3 at the pressure of 400 kPa (58 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0300	107940	—
FEM Carriage + forks	A0200 + A0500	108044	—
	A0201 + A0500		
Side-shift on carriage + forks	A0281 + A0500	108051	—
	A0282 + A0500		
Floating Forks	A0291	108044	—
	A0292		
Digging Bucket	A0699	108046	A
	A0700		
Re-handling Bucket	A0713		
4 in 1 Bucket	A0810		
Multipurpose Bucket	A0836		
Drum clamp	A2210	108050	—
Fork rotator	A3210	108051	—
	A3212		
Crane Hook on carriage	A1000	108047	—
Crane boom	A1114B_AU	108048	—
	A1124B		
Fly Jib	A1230B	108049	—

 MERLO S.P.A. - CUNEO, ITALY  Plate of authorized attachments on P27.6			
FIXED LOADS			
Standard forks	A0300	Digging bucket	A0699
FEM carriage + forks	A0200 + A0500	Digging bucket	A0700
FEM carriage + forks	A0201 + A0500	Re-handling bucket	A0713
Side-shift on carriage	A0281 + A0500	4 in 1 bucket	A0810
Side-shift on carriage	A0282 + A0500	Multipurpose bucket	A0836
Floating forks	A0291	Drum clamp	A2210
Floating forks	A0292	Fork rotator	A3210
		Fork rotator	A3212
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1124B
Crane boom	A1114B_AU	Fly Jib 400 kg	A1230B
108062 AS1418.19 COMPLIANT			

DECLARATION OF CONFORMITY

S. Defendente, 20/12/2017

MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo P27.6 Rough Terrain Telehandler fitted with M-CDC System**Serial number:** ZF1P25000C7004647**SAV number:** C748513

has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 12.0/75-18" 12PR MITAS TR3 at the pressure of 400 kPa (58 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0300	107940	—
FEM Carriage + forks	A0200 + A0500	108044	—
	A0201 + A0500		
Side-shift on carriage + forks	A0281 + A0500	108051	—
	A0282 + A0500		
Floating Forks	A0291	108044	—
	A0292		
Digging Bucket	A0699	108046	A
	A0700		
Re-handling Bucket	A0713		
4 in 1 Bucket	A0810		
Multipurpose Bucket	A0836		
Drum clamp	A2210	108050	—
Fork rotator	A3210	108051	—
	A3212		
Crane Hook on carriage	A1000	108047	—
Crane boom	A1114B_AU	108048	—
	A1124B		
Fly Jib	A1230B	108049	—

MERLO S.P.A. - CUNEO, ITALY			
Plate of authorized attachments on P27.6			
FIXED LOADS			
Standard forks	A0300	Digging bucket	A0699
FEM carriage + forks	A0200 + A0500	Digging bucket	A0700
FEM carriage + forks	A0201 + A0500	Re-handling bucket	A0713
Side-shift on carriage	A0281 + A0500	4 in 1 bucket	A0810
Side-shift on carriage	A0282 + A0500	Multipurpose bucket	A0836
Floating forks	A0291	Drum clamp	A2210
Floating forks	A0292	Fork rotator	A3210
		Fork rotator	A3212
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1124B
Crane boom	A1114B_AU	Fly Jib 400 kg	A1230B
AS1418.19 COMPLIANT			
103062			



MERLO SPA Industria Metalmeccanica
12020 S. Defendente di Cervasca - Cuneo - Italy

Felice Contessini
TECHNICAL DIRECTOR

F. Contessini

DECLARATION OF CONFORMITY

S. Defendente, 20/12/2017

MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo P27.6 Rough Terrain Telehandler fitted with M-CDC System
Serial number: ZF1P25000C7004645
SAV number: C748511

has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 12.0/75-18" 12PR MITAS TR3 at the pressure of 400 kPa (58 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0300	107940	—
FEM Carriage + forks	A0200 + A0500	108044	—
	A0201 + A0500		
Side-shift on carriage + forks	A0281 + A0500	108051	—
	A0282 + A0500		
Floating Forks	A0291	108044	—
	A0292		
Digging Bucket	A0699	108046	A
	A0700		
Re-handling Bucket	A0713		
4 in 1 Bucket	A0810		
Multipurpose Bucket	A0836		
Drum clamp	A2210	108050	—
Fork rotator	A3210	108051	—
	A3212		
Crane Hook on carriage	A1000	108047	—
Crane boom	A1114B_AU	108048	—
	A1124B		
Fly Jib	A1230B	108049	—

MERLO S.P.A. - CUNEO, ITALY			
Plate of authorized attachments on P27.6			
FIXED LOADS			
Standard forks	A0300	Digging bucket	A0699
FEM carriage + forks	A0200 + A0500	Digging bucket	A0700
FEM carriage + forks	A0201 + A0500	Re-handling bucket	A0713
Side-shift on carriage	A0281 + A0500	4 in 1 bucket	A0810
Side-shift on carriage	A0282 + A0500	Multipurpose bucket	A0836
Floating forks	A0291	Drum clamp	A2210
Floating forks	A0292	Fork rotator	A3210
		Fork rotator	A3212
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1124B
Crane boom	A1114B_AU	Fly Jib 400 kg	A1230B
109062 AS1418.19 COMPLIANT			

MERLO SPA Industria Metalmeccanica
12020 S. Defendente di Cervasca - Cuneo - ItalyFelice Contessini
TECHNICAL DIRECTOR*F. Contessini*

DECLARATION OF CONFORMITY

S. Defendente, 01/02/2018

MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo P27.6 Rough Terrain Telehandler fitted with M-CDC System

Serial number: ZF1P25000C7004963

SAV number: C750313

has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 12.0/75-18" 12PR MITAS TR3 at the pressure of 400 kPa (58 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0300	107940	—
FEM Carriage + forks	A0200 + A0500	108044	—
	A0201 + A0500		
Side-shift on carriage + forks	A0281 + A0500	108051	—
	A0282 + A0500		
Floating Forks	A0291	108044	—
	A0292		
Digging Bucket	A0699	108046	A
	A0700		
Re-handling Bucket	A0713		
4 in 1 Bucket	A0810		
Multipurpose Bucket	A0836		
Drum clamp	A2210	108050	—
Fork rotator	A3210	108051	—
	A3212		
Crane Hook on carriage	A1000	108047	—
Crane boom	A1114B_AU	108048	—
	A1124B		
Fly Jib	A1230B	108049	—

MERLO S.P.A. - CUNEO, ITALY			
Plate of authorized attachments on P27.6			
FIXED LOADS			
Standard forks	A0300	Digging bucket	A0699
FEM carriage + forks	A0200 + A0500	Digging bucket	A0700
FEM carriage + forks	A0201 + A0500	Re-handling bucket	A0713
Side-shift on carriage	A0281 + A0500	4 in 1 bucket	A0810
Side-shift on carriage	A0282 + A0500	Multipurpose bucket	A0836
Floating forks	A0291	Drum clamp	A2210
Floating forks	A0292	Fork rotator	A3210
		Fork rotator	A3212
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1124B
Crane boom	A1114B_AU	Fly Jib 400 kg	A1230B
AS1418.19 COMPLIANT			

DECLARATION OF CONFORMITY

S. Defendente, **05/04/2017**MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo P30.8 LPLUS Rough Terrain Telehandler fitted with M-CDC System**Serial number:** ZF1P28TB5C7000027**SAV number:** C702413has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 405/70-20 14PR MITAS MPT-01 at the pressure of 350 kPa (50 psi)**Optional tyres:** 405/70-24 14PR MITAS MPT-01 at the pressure of 400 kPa (58 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0300	091994	—
	A0304		
FEM Carriage + forks	A0200 + A0500	091996	A
	A0201 + A0500		
Side-shift on carriage	A0281 + A0500	092446	A
	A0282 + A0500		
Floating forks	A0291 A0292	091996	A
Extralong forks	A0320	091995	A
Fork extensions	A0600 on A0300 A0600 on A0304		
Fork rotator	A3210	091581	A
Fork rotator	A3212		
Digging bucket	A0700	091997	A
Loose material bucket	A0714		
Re-handling bucket	A0715		
Multipurpose bucket	A0841		
4 in 1 Bucket	A0870		
Crane Hook on carriage	A1000	091998	A
Crane boom	A1114B_AU	091999	A

 MERLO S.P.A. - CUNEO, ITALY 			
Plate of authorized attachments on P30.6 - P30.8			
FIXED LOADS			
Standard forks	A0300	Fork extensions	A0600 on A0300
Standard forks	A0304	Fork extensions	A0600 on A0304
FEM carriage + forks	A0200 + A0500	Fork rotator	A3210
FEM carriage + forks	A0201 + A0500	Fork rotator	A3212
Side-shift on carriage	A0281 + A0500	Digging bucket	A0700
Side-shift on carriage	A0282 + A0500	Loose material bucket	A0714
Floating forks	A0291	Re-handling bucket	A0715
Floating forks	A0292	Multipurpose bucket	A0841
Extralong forks	A0320	4 in 1 Bucket	A0870
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1114B_AU
012477 AS1418.19 COMPLIANT			

DECLARATION OF CONFORMITY

S. Defendente, 27/10/2017

MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo P30.8 LPLUS Rough Terrain Telehandler fitted with M-CDC System

Serial number: ZF1P28TB5C7001129

SAV number: C714311

has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 405/70-20 14PR MITAS MPT-01 at the pressure of 350 kPa (50 psi)

Optional tyres: 405/70-24 14PR MITAS MPT-01 at the pressure of 400 kPa (58 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0300	091994	—
	A0304		
FEM Carriage + forks	A0200 + A0500	091996	A
	A0201 + A0500		
Side-shift on carriage	A0281 + A0500	092446	A
	A0282 + A0500		
Floating forks	A0291	091996	A
	A0292		
Extralong forks	A0320	091995	A
Fork extensions	A0600 on A0300		
	A0600 on A0304		
Fork rotator	A3210	091581	A
Fork rotator	A3212		
Digging bucket	A0700	091997	A
Loose material bucket	A0714		
Re-handling bucket	A0715		
Multipurpose bucket	A0841		
4 in 1 Bucket	A0870		
Crane Hook on carriage	A1000	091998	A
Crane boom	A1114B_AU	091999	A

 MERLO S.P.A. - CUNEO, ITALY 			
Plate of authorized attachments on P30.6 - P30.8			
FIXED LOADS			
Standard forks	A0300	Fork extensions	A0600 on A0300
Standard forks	A0304	Fork extensions	A0600 on A0304
FEM carriage + forks	A0200 + A0500	Fork rotator	A3210
FEM carriage + forks	A0201 + A0500	Fork rotator	A3212
Side-shift on carriage	A0281 + A0500	Digging bucket	A0700
Side-shift on carriage	A0282 + A0500	Loose material bucket	A0714
Floating forks	A0291	Re-handling bucket	A0715
Floating forks	A0292	Multipurpose bucket	A0841
Extralong forks	A0320	4 in 1 Bucket	A0870
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1114B_AU
092477 AS1418.19 COMPLIANT			

DECLARATION OF CONFORMITY

S. Defendente, 19/12/2017

MERLO SPA INDUSTRIA METALMECCANICA
12010 S. DEFENDENTE DI CERVASCA, CUNEO, ITALY

hereby declares that the under mentioned product

Model: Merlo P30.8 LPLUS Rough Terrain Telehandler fitted with M-CDC System

Serial number: ZF1P28TB5C7001131

SAV number: C714313

has been designed according to AS1418.19 and tested,
passing positively every requirement of the above mentioned standard,

with the following tyres:

Standard tyres: 405/70-20 14PR MITAS MPT-01 at the pressure of 350 kPa (50 psi)

Optional tyres: 405/70-24 14PR MITAS MPT-01 at the pressure of 400 kPa (58 psi)

and with the following attachments, related to the specific load charts according to the table below:

Attachment	Part Number	Load Chart	Rev
Standard forks	A0300	091994	—
	A0304		
FEM Carriage + forks	A0200 + A0500	091996	A
	A0201 + A0500		
Side-shift on carriage	A0281 + A0500	092446	A
	A0282 + A0500		
Floating forks	A0291	091996	A
	A0292		
Extralong forks	A0320	091995	A
Fork extensions	A0600 on A0300		
	A0600 on A0304		
Fork rotator	A3210	091581	A
Fork rotator	A3212		
Digging bucket	A0700	091997	A
Loose material bucket	A0714		
Re-handling bucket	A0715		
Multipurpose bucket	A0841		
4 in 1 Bucket	A0870		
Crane Hook on carriage	A1000	091998	A
Crane boom	A1114B_AU	091999	A

 MERLO S.P.A. - CUNEO, ITALY  Plate of authorized attachments on P30.6 - P30.8			
FIXED LOADS			
Standard forks	A0300	Fork extensions	A0600 on A0300
Standard forks	A0304	Fork extensions	A0600 on A0304
FEM carriage + forks	A0200 + A0500	Fork rotator	A3210
FEM carriage + forks	A0201 + A0500	Fork rotator	A3212
Side-shift on carriage	A0281 + A0500	Digging bucket	A0700
Side-shift on carriage	A0282 + A0500	Loose material bucket	A0714
Floating forks	A0291	Re-handling bucket	A0715
Floating forks	A0292	Multipurpose bucket	A0841
Extralong forks	A0320	4 in 1 Bucket	A0870
FREELY SUSPENDED LOADS			
Crane hook on carriage	A1000	Crane boom	A1114B_AU
092477 AS1418.19 COMPLIANT			



MERLO SPA Industria Metalmeccanica
12020 S. Defendente di Cervasca - Cuneo - Italy

Felice Contessini
TECHNICAL DIRECTOR

F. Contessini